

LEDDriving CAP LEDCAP03



LEDriving CAP are designed to enable the installation of the H7-LED to have an accurate fit and to protect the headlight system. These products are a replacement of the original cap to offer a qualitative system component for the legal usage.


Product datasheet

Technical data

Product information

Order reference	LEDCAP03
Application (Category and Product specific)	Accessories for LED retrofits

Dimensions & weight



Diameter	87.0 mm
Product weight	42.00 g

Lifespan

Guarantee	3 years
-----------	---------

Capabilities

Technology	LED accessories
------------	-----------------

Country specific categorizations

Order reference	LEDCAP03
-----------------	----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	10-02-2023
Primary Article Identifier	4062172271394
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	f3ff547d-338b-46a7-90c3-47b657c2286d


Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172271394	LEDiving CAP 03	Folding carton box 2	101 mm x 101 mm x 101 mm	1.03 dm ³	90.00 g
4062172271400	LEDiving CAP 03	Shipping carton box 8	415 mm x 109 mm x 134 mm	6.06 dm ³	488.00 g
4062172271417	LEDiving CAP 03	Shipping carton box 48	435 mm x 348 mm x 300 mm	45.41 dm ³	3707.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction LEDiving CAP

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

