Product datasheet

## **OSRAM**

# LEDriving CAP LEDCAP01





LEDriving CAP are designed to enable the installation of the H7-LED to have an accurate fit and to protect the headlight system.These products are a replacement of the original cap to offer a qualitative system component for the legal usage.


## Product datasheet

## Technical data

## **Product information**

Order reference	LEDCAP01	
Application (Category and Product specific)	Accessories for LED retrofits	

## Dimensions & weight



Diameter	92.0 mm			
Product weight	53.50 g			
lifespan				
Guarantee	3 years			
Capabilities				
Technology	LED accessories			
Order reference LEDCAP01				
Environmental information				
Information according Art. 33 of EU	Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	10-02-2023			
Primary Article Identifier	4062172241878			
Candidate List Substance 1	Lead			
CAS No. of substance 1	7439-92-1			
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.			
Declaration No. in SCIP database	c9a9e71d-fceb-4c24-8218-16f8b71eca3d			

## Product datasheet

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172241878	LEDriving CAP 01	Folding carton box 2	101 mm x 101 mm x 101 mm	1.03 dm³	113.00 g
4062172241885	LEDriving CAP 01	Shipping carton box 8	415 mm x 109 mm x 134 mm	6.06 dm <sup>3</sup>	580.00 g
4062172241892	LEDriving CAP 01	Shipping carton box 48	435 mm x 348 mm x 300 mm	45.41 dm³	4259.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data



User instruction LEDriving CAP

File

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

