

ORIGINAL - FESTOON

Original spare part



The cost-effective original spare parts

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for a wide range of festoon lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

Technical data

Product information

Order reference	6438
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	10 W
Nominal voltage	12.0 V
Nominal wattage	10.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	120 lm
Luminous flux tolerance	±25 %

Dimensions & weight



Diameter	10.0 mm
Product weight	2.60 g
Length	31.0 mm

Lifespan

Lifespan B3	500 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	SV8.5-8
-----------------------------	---------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Country specific categorizations

Order reference	6438
-----------------	------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321094353	OSRA6438	-	-	-
4008321094360	OSRA6438	-	-	-
4008321094353	OSRA6438	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094353	ORIGINAL FESTOON 6438	Unpacked 1	30 mm x 10 mm x 10 mm	0.00 dm ³	3.00 g
4008321094360	ORIGINAL FESTOON 6438	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	40.00 g
4008321094377	ORIGINAL FESTOON 6438	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	250.00 g
4008321185389	ORIGINAL FESTOON 6438	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm ³	10.19 g
4008321185396	ORIGINAL FESTOON 6438	Shipping carton box 20	137 mm x 80 mm x 103 mm	1.13 dm ³	141.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM