



DSL-HLB20 SERIES

FRONT LED MULTIFUNCTIONAL LAMP




PRODUCT BENEFITS

- 5 Functions in one: Low Beam, High Beam, Front Position, Front Direction Indicator, Rear (Cat 5) Direction Indicator
- Horizontal and Vertical Installation easily adjustable by user
- Robust Design for various Types of Vehicles and Applications
- Available also with Heated Lens
- IP67 Protection
- Multi-voltage 10-30V



FUNCTIONS LAYOUT



TECHNICAL SPECIFICATIONS



TECHNICAL SPECIFICATIONS

TECHNICAL DATA

Variants		DSL-HLB20				
Operating Voltage		10 V - 30 V				
Reverse Polarity Protection		Yes				
Light Function		Low Beam	High Beam	Front Position	Front Direction Indicator	Side Direction Indicator
Material	Regular Lens Version	PC				
	Heated Lens Version	Glass				
Housing Material		ADC12				
Consumption	Regular Lens Version	16,1 W	17,3 W	3,5 W	5,1 W	5,1 W
	Heated Lens Version	48,6 W	49,7 W	4,2 W	7 W	7 W
Type of Protection		- 40C / + 65C				
Temperature Range		IP69K				
Approvals	ECE	R112.01	R7	R6	R6	
		Class B	A	1a	5	
		HCR / HCR PL	O2	O1	O1	
	SAE	DOT				
	EMC	R10-06				
CISPR 25	Class 3					
Type of Connection		450mm Cable Output 500mm with Deutsch Connector				

DIMENSIONAL DRAWING

