

ROADSIGHT OWRC4

ROADSight OWRC4



VGA resolution

Video in VGA (Video Graphics Array) resolution



IP 67

OWRC4 is dustproof and water resistant according to IP67



2-year OSRAM guarantee¹⁾

Systematic quality assurance measures underpin the workmanship and functionality of our products. Innovative technology and good quality really pay dividends for our customers



Expand your view

The perfect extension to your existing ROADSight Reverse Camera system - designed to seamlessly integrate with the OWRC4 monitor unit, this high-quality wireless camera enhances your overall visibility, making reversing, parking, and maneuvering even more precise.

Delivering a good quality video feed and featuring a 110° wide-angle field of view, the additional camera provides a broader and clearer look at your surroundings. Whether you're monitoring blind spots, trailer angles, or side views, this camera helps reduce risks and enhances control behind the wheel.

Equipped with infrared LEDs, it ensures reliable night vision so you can see clearly even in low-light or night-time conditions. Its durable, water-resistant and dustproof housing (IP67-rated) makes it ideal for a wide range of vehicles and weather conditions.

Fully compatible with 12 V and 24 V systems, it installs easily and expands your ROADSight system to provide even greater situational awareness.

Product datasheet

Technical data

Product information

Resolution	480x272
FOV	105°
Rear Cam Support	Yes - Wireless camera included
Monitor	4,3"
Sunshade for Monitor	NO
Wireless Range	100 m
Channels	2
Supplied with	7" Monitor / CMOS wireless camera
Camera resolution	648 x 488

Hardware Features

Mount Type	Adjustable 3M Adhesive Mount.
------------	-------------------------------

Software Features

B&W Night Vision	Night enhanced vision
------------------	-----------------------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	0c29a821-b17c-45e0-b16e-184501411bbe

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172412308	ROADSIGHT OWRC4	Folding carton box 1	131 mm x 80 mm x 73 mm	0.77 dm ³	115.00 g
4062172412315	ROADSIGHT OWRC4	Shipping carton box 4	182 mm x 152 mm x 184 mm	5.09 dm ³	610.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Legal advice

For precise conditions please refer to: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

IP67

OSRAM