OSRAM

LEDinspect PRO PENLIGHT 150

Professional LED inspection light





150 lm + 35 lm

One of the brightest penlights with 150 lumen and LED pointer on top



Equipped with 10+1 high-power, longlasting LEDs

More light for optimal vision



Integrated battery status display

Easy charge via USB port & DC/AC (with charging cable)



For a precise inspection of any area

LEDinspect PRO PENLIGHT 150 is a rechargeable LED inspection luminaire in compact, high-quality design. With its 150 lumen, the PRO PENLIGHT 150 is one of the brightest penlights in slim design. It provides an intense white light with up to 6,000 Kelvin. The inspection light can be flexibly mounted thanks to magnet and clip - so you can keep your hands free while working. No batteries are needed - you can charge it via USB port, DC and AC connection. OSRAM provides a 3 year guarantee for this inspection light.

Product datasheet

Technical data

Product information

Order reference	LEDIL105
Application (Category and Product specific)	LED inspection lights for professionals


Electrical data

Nominal wattage	0.50 W
Nominal voltage	NaN V

Photometrical data

Luminous flux	150 lm
Light color LED	White

Dimensions & weight



Product weight	138.00 g
Length	177.0 mm
Width	23.0 mm
Height	14000 mm

Colors & materials

Lifespan

Guarantee	3 years
	,

Additional product data

Type of Battery	rechargeable
Number of included batteries	n.a.

Product datasheet

Scope of battery	Yes
Battery	Li-ion Polymer Battery Model

Capabilities

Certificates & standards

Standards	CE
Type of protection	IP20

Country specific categorizations

Order reference	LEDIL105

Logistical data

PCHL Watt hour per battery [MPRD]	2.96

Equipment / Accessories

- Charging cable included

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899963825	LEDinspect PRO PENLIGHT 150	Folding carton box 1	74 mm x 64 mm x 217 mm	1.03 dm ³	206.95 g
4052899963832	LEDinspect PRO PENLIGHT 150	Shipping carton box	227 mm x 158 mm x 143 mm	5.13 dm ³	928.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

	File
大	User instruction LEDinspect PRO PENLIGHT 150 LEDIL105 (User Manual)
D	Movie application Image Film LEDinspect Pro (EN)
D	Movie application Image Film LEDinspect Family (EN)

Product datasheet

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

