Product datasheet

OSRAM

ORIGINAL LINE HIR1

Original spare part





The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Order reference	9011	
Application (Category and Product specific)	Halogen headlight lamp	


Electrical data

Nominal voltage	12.0 V
Nominal wattage	65.00 W
Test voltage	13.2 V

Photometrical data

Luminous flux	2500 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Diameter	11.3 mm
Product weight	19.65 g
Length	75.0 mm

Lifespan

Lifespan B3	220 h
Lifespan Tc	300 h

Additional product data

Base (standard designation)	PX20d

Capabilities

Technology HAL

Product datasheet

Certificates & standards

ECE category	HIR1

Country specific categorizations

Order reference	9011
-----------------	------

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321863966	ORIGINAL LINE HIR1	Folding carton box 1	46 mm x 46 mm x 68 mm	0.14 dm ³	27.05 g
4008321863973	ORIGINAL LINE HIR1	Bundle 10	235 mm x 94 mm x 71 mm	1.57 dm ³	258.00 g
4008321863980	ORIGINAL LINE HIR1	Shipping carton box 100	478 mm x 248 mm x 164 mm	19.44 dm³	2800.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File



360 Degree Image ORIGINAL HIR1 9011

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















