

## ROADsight OCSC1N



### 720p resolution

High-definition video at 720p resolution



### IP 67

OCSC1N is dustproof and water resistant according to IP67



### 2-year OSRAM guarantee<sup>1)</sup>

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and good quality really pay dividends for our customers



### Expand your view and boost your safety

The extension to your existing ROADsight Reverse Camera system - designed to seamlessly integrate with the OCS700N monitor unit, this high-quality wired camera enhances your overall visibility, making reversing, parking, and maneuvering even more precise.

Delivering a 720p video feed and featuring a 120° wide-angle field of view, the additional camera provides a broader and clearer look at your surroundings. Whether you're monitoring blind spots, trailer angles, or side views, this camera helps reduce risks and enhances control behind the wheel.

Equipped with infrared LEDs, it ensures reliable night vision so you can see clearly even in low-light or nighttime conditions. Its durable, water-resistant and dustproof housing (IP67-rated) makes it ideal for a wide range of vehicles and weather conditions.

Fully compatible with 12V and 24V systems, it installs easily simply and expands your ROADsight system to provide even greater situational awareness.

## Product datasheet

### Technical data

#### Product information

Resolution	1024x600
FOV	120°

#### Environmental & Regulatory Information



Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	In work

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899633797	ROADSIGHT OCSC1N	Folding carton box 1	131 mm x 80 mm x 73 mm	0.77 dm <sup>3</sup>	278.00 g
4062172420716	ROADSIGHT OCSC1N	Shipping carton box 4	182 mm x 152 mm x 184 mm	5.09 dm <sup>3</sup>	1252.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction GPRS_Safety symbols instructions
 Brochures ACE B2C - Automotive Care & Equipment catalogue (EN)

#### Legal advice

For precise conditions please refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

