

# ORIGINAL LINE H9B

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

## Product datasheet

### Technical data

#### Product information

Order reference	64243
Application (Category and Product specific)	Halogen headlight lamp

#### Electrical data


Power input	73 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	65.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

#### Photometrical data

Luminous flux	2100 lm
Luminous flux tolerance	±10 %

#### Dimensions & weight



Diameter	12.0 mm
Product weight	19.00 g
Length	66.8 mm

#### Lifespan

Lifespan B3	250 h
Lifespan Tc	500 h

#### Additional product data

Base (standard designation)	PGJY19-5
-----------------------------	----------

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H9B
--------------	-----

### Country specific categorizations

Order reference	64243
-----------------	-------

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321055477	OSRA64243	-	-	-
4008321055484	OSRA64243	-	-	-
4008321055477	OSRA64243	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321055477	ORIGINAL LINE H9B	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm <sup>3</sup>	25.00 g
4008321055484	ORIGINAL LINE H9B	Bundle 10	67 mm x 75 mm x 187 mm	0.94 dm <sup>3</sup>	250.00 g
4008321055491	ORIGINAL LINE H9B	Shipping carton box 100	341 mm x 154 mm x 191 mm	10.03 dm <sup>3</sup>	2691.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM